Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(MONITOR\$5 ADJ DEVICE) WITH output\$5 with \$2ml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 08:47
L2	3	(MONITOR\$5 ADJ DEVICE) AND SNMP AND output\$5 with \$2ml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 08:47
S1	1240	709/246.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/04/14 08:47
S2	194	("6748583" "6817010" "6397253" "5432932" "5483468" "5506955" "5553235" "5684945" "5572648" "5819032" "6029188" "6292830" "5922941" "5778230" "5845250" "6272672" "6370142" "6826439" "5410655" "5239466" "6401468" "4829569" "4890319" "4890321" "6202127" "6836894" "6475753" "6591310" "6195705" "6427173" "6757738" "5418957" "6466790" "6286043" "6331983" "5809266" "6160549" "6272675" "6510453" "6807561" "5339433" "5432903" "5557730" "5740444" "5799318" "5956728" "6085197" "5316341" "6070200" "6202105").pn. ("6279051" "4996707" "5380043" "5418576" "5465253" "5657376" "5795048" "5796393" "5970063" "6020884" "6025844" "6104401" "6433795" "6856326" "4466001" "6073103" "6151386" "6226689" "6226689" "6444791" "5512671" "4972328" "5502661" "6278455" "5522073" "5517561" "6098073" "6101328" "5448554" "6003063" "6745193" "5610923" "5854827" "5883580" "6731932" "6862698" "6018761" "5590334" "6167423" "4623997" "4959782" "5511072" "5659694" "5925099" "6134619" "6418308" "5548555" "5761650" "5892898" "6185689").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/04/08 14:58
S3	1571	(probe and report and modif\$5).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 16:16
54	3	(probe and (report near2 modif\$5)).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ,	2005/04/08 15:04
S5	0	(probe and (report near2 modif\$5)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/04/08 15:05
S6	2	(probe and (report and modif\$5)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 15:05

S7	9	(probe and snmp).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 15:52
S8	1	("5,440,744").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/08 15:52
S9		"probe" and (SECS adj I\$2) and (HL adj "7")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 16:21
S10	792	"probe" and (SECS\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 16:21
S11	0	S10 and (HL adj "7")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 16:23
S12	6	S10 and (healthcare)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/04/08 16:28
S13	1	S10 and (healthcare).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 17:46
S14	0	(SECS\$3 or (SEMI adj Equipment adj Communications adj Standard adj "1")) with inpmementation with probe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 17:51
S15	0	(SECS\$3 or (SEMI adj Equipment adj Communications adj Standard adj "1")) with inpmementation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 16:31
S16	5	(SECS\$3 or (SEMI adj Equipment adj Communications adj Standard adj "1")) with implementation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 17:51
S17		(SECS\$3 or (SEMI adj Equipment adj Communications adj Standard adj "1")) with implementation same probe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 16:31

						
S18	5	(SECS\$3 or (SEMI adj Equipment adj Communications adj Standard adj "1")) with implementation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 17:35
S19	0	S18 and context and match\$ and report	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 17:35
S20	2	S18 and match\$ and report	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 17:35
S21	2	"6826439"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 17:47
S22	20376	SECS\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 17:51
S23	3	(SECS\$3 and (SEMI adj Equipment adj Communications adj Standard adj "1"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 17:55
S24	0	(SECS\$3 and (SEMI adj Equipment adj Communications adj Standard adj "1")) and report with modif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 17:55
S25	4	(700/121.ccls.) and report with modif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 17:59
S26	1	(700/90.ccls.) and report with modif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 17:59
S27	0	(700/91.ccls.) and report with modif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 17:59
S28	0	fab same tool same repor\$5 same modif%5 same match\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 18:06

		,				
S29	0	manufact\$5 same tool same repor\$5 same modif%5 same match\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 18:08
S30		fabric\$5 same tool same repor\$5 same modif%5 same match\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 18:05
S31	0	fabric\$7 same tool same repor\$5 same modif%5 same match\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 18:08
S32	0	(fabric\$7 and tool and repor\$5 and modif%5 and match\$5). bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 18:08
S33	0	(fabric\$7 and tool and repor\$5 and modif%5 and match\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 18:08
534		fab same tool same repor\$5 same modif\$5 same match\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 18:08
S35	8	"6601086"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 18:06
S36	1	manufact\$5 same tool same repor\$5 same modif\$5 same match\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 18:09
S37	1	fabric\$7 same tool same repor\$5 same modif\$5 same match\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 18:08
S38	1	fabric\$7 same tool same repor\$5 same modif\$5 same match\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 18:09
S39	4222	(fabric\$7 and tool and repor\$5 and modif\$5 and match\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 18:09

					,	
540	0	(fabric\$7 and tool and repor\$5 and modif%5 and match\$5). bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/08 18:08
S41	2	"20020062334".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 13:56
S42	8	"6601086"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2005/04/12 14:40
S43	2	"5,440,744".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/12 15:18
S46	2	"0395540".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/04/12 15:18
S52	1	("2001039540").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/12 15:22
S53	1	("20010039540").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/12 15:22
S54	1	("6591310").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/14 15:56
S55	. 1	("5657252").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF ·	2005/04/14 11:23
S56	2	(US-5657252-\$ or US-6591310-\$).did.	USPAT	OR	OFF	2005/04/13 17:10
S57	0	("3andtriggerwithtime").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/13 17:10
S58	1	S56 and trigger with time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 17:27
S59	1	S56 and trigger	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 17:18
S60	4	"6233613"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 17:19

S61	0	S57 and BNC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 17:19
S62	0	S57 and pierce	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 17:19
S63	0	S57 and pruncture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 17:19
S64	1	S56 and monitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 17:27
S65	1	S56 and \$monitor\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 17:27
S66	1	("5,805,442").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/14 08:57
S67	1	("5,307,463").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/14 09:35
S68	15	"6446110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 09:35
S69	3	(("6446110") or ("4829445") or ("20040123302")).PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/14 09:35
S70	0	"6591310.pn" and removeable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:38
S71	1	("5657252").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/14 11:23
S72	0	S71 and tag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:24

					-T	
S73	0	S71 and label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:24
S74	0	S71 and sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:24
S75	0	S71 and delimited	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:25
S76	1	S71 and file with format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:25
S77	1	S71 and (file with format) and file and format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:41
S78	0	"6233613".pn. and removeable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:41
S79	2	"6233613".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:52
S80	0	S79 and remove	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:42
S81	134	(removable and probe).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:59
S82	27.	(removable adj probe).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:57
S83	63	(removable adj probe).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:54

·						
S84	44	(removable adj2 probe).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:57
S85	27	(removable adj1 probe).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:57
586	0	(removable adj1 probe).ti. and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:58
S87	0	(removable near1 probe).ti. and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:58
S88	0	(removable near2 probe).ti. and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:58
589	0	(removable adj2 probe).ti. and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:58
S90	0	(removable with probe).ti. and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:58
591	0	(removable adj2 probe).bsum. and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/04/14 11:59
S92 _.		(removable and probe).ti. and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 11:59
S93	. 8	(removable and probe).ti. and wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:02
S94	3810	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:02

S95	0	(process\$5 near3 report) and output\$5 adj3 tagget near3 format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:07
S96	0	S94 and ((process\$5 near3 report) and output\$5 adj3 tagget near3 format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:07
S97	0	S94 and ((process\$5 near3 (status adj information)) and output\$5 adj3 tagget near3 format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:06
598	0	S94 and tagget near3 format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:07
S99	398241	S94 and tagget format format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:07
S10 0	0	(process\$5 near3 report) and output\$5 adj3 tagged near3 format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:07
S10 1	0	S94 and ((process\$5 near3 report) and output\$5 adj3 tagged near3 format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:07
S10 2	13	S94 and tagged near3 format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 15:49
S10 3	0	S94 and csv near3 output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:13
S10 4	5	S94 and csv near3 file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 15:48
S10 5	30	S94 and xml and probe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:21

S10 6	0	S105 and "removeable."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:18
S10 7	0	S105 and "removeable" .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/04/14 13:18
S10 8	0	S94 and "removeable"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:19
510 9	16	S94 and detachable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:19
S11 0	3810	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 15:49
S11 1	13	S110 and tagged near3 format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 15:49
S11 2	5	S111 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 15:50
S11 3	1	("6591310").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/14 15:56
S11 4	0	S113 and (html xml tag\$5 csv (comma with (separated delimited)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 15:59
S11 5	0	S113 and (file with type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 16:00
S11 6	0	S113 and (file with format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/04/14 16:00

S11	0	S113 and (file and format)	US-PGPUB;	OR	OFF	2005/04/14 16:00
7	-		USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	- · ·		
S11 8	0	S113 and (file and type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 16:00
S11 9	0	S113 and (file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 16:00
S12 0	0	probe near2 output\$5 near2 xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 16:06
S12 1	0	probe near2 output\$5 near2 html	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 16:06
S12 2	0	probe WITH output\$5 with html	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 16:06
S12 3	93	probe WITH output\$5 with \$2ml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 16:11
512 4	0	S123 AND 709/20\$.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 16:08
S12 5	0	S123 AND 709/204.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 16:08
S12 6	0	S123 AND "709"/\$.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/04/14 16:08
S12 7	0	\$123 AND "707"/\$.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 16:08

S12 8	0	S123 AND "710"/\$.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 16:08
S12 9	0	"MONITOR\$5 DEVICE" WITH output\$5 with \$2ml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 16:11
S13 0	2	(MONITOR\$5 ADJ DEVICE) WITH output\$5 with \$2ml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 08:46
S13 1	3	(MONITOR\$5 ADJ DEVICE) AND SNMP AND output\$5 with \$2ml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 08:46

Ref I	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	97	(("(6748583") or ("6817010") or ("6397253") or ("5432932") or ("5483468") or ("5506955") or ("5553235") or ("5684945") or ("5572648") or ("5819032") or ("6029188") or ("6292830") or ("5922941") or ("5778230") or ("5845250") or ("6272672") or ("6370142") or ("6826439") or ("5410655") or ("5239466") or ("6401468") or ("4829569") or ("4890319") or ("4890321") or ("6202127") or ("6836894") or ("6475753") or ("6591310") or ("6195705") or ("6427173") or ("6757738") or ("5591310") or ("6160549") or ("6272675") or ("6331983") or ("5809266") or ("6160549") or ("6272675") or ("6510453") or ("57940444") or ("5799318") or ("5956728") or ("6085197") or ("5316341") or ("5799318") or ("5418576") or ("6070200") or ("6202105).pn.") or ("6279051") or ("4996707") or ("5795048") or ("5796393") or ("5970063") or ("6022884") or ("6025844") or ("6104401") or ("6433795") or ("6226689") or ("6226689") or ("6278455") or ("5522671") or ("583288") or ("6278651") or ("6731932") or ("6101328") or ("5548554") or ("58938380") or ("6731932") or ("6862698") or ("6018761") or ("5590334") or ("6731932") or ("6862698") or ("6418308") or ("5590334") or ("65167423") or ("4623997") or ("6185689).pn.")). PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/07 16:50